PL308



PROPERTY	DESCRIPTION
Primary/Stalk Yarn Type, Shape:	Nylon
Secondary/Thatch Yarn Type, Shape:	Texturized Nylon
Standard Color*:	Turf Green or Verde Lime
Coating Type:	Natural Rubber
Perforations:	No
Pile Height:	3/8"
Face Weight:	36 oz/yd²
Total Weight:	71 oz/yd²
Fabric Width:	15 ft.
Yarn Type:	



APPLICATION

As one of our premier putting surfaces, this product is ideal for putting, short chip shots, and indoor golf facilities. The speed of the green will depend on the installation method. This product can be installed indoors or outdoors on concrete or a compacted aggregate base.





Texturized



TESTING

PL308

FINISHED FABRIC	ENGLIS	H SYSTEM	METRIC	SYSTEM	ASTM TEST F-1551
Nominal Specification	Value	Units	Value	Units	Method
Pile Height (Nominal)	.375	In.	9.53	mm.	D-5823
Face Weight	36	oz/yd²	1221	g/m²	D-5848
Total Fabric Weight	71	oz/yd²	2407	g/m²	D-5848
Primary backing Weight	7	oz/yd²	237	g/m²	D-5848
Secondary Coating Weight	28	oz/yd²	1390	g/m²	D-5848
Tuft Bind	>8	lbs.	>3.6	Kg.	D-1335
Grab Tear Strength (Average)	>200	lbs.	>91	Kg.	D-5034
Lead Content	<50	ppm	<50	ppm	F-2765
Total Yarn Linear Density	4,400	Denier	4,889	D-Tex	D-1577
Tensile Strength	8.0	lbs.	3.63	Kg.	D-5034
Stitch Rate	28	Per 3"	71.12	Per 10 cm	D-5793
Machine Gauge	0.1875	ln.	0.48	Cm.	D-5793
Flammability	TEST	PASSED	TEST	PASSED	D-2859
Fiber Thickness	3.9	mils	100	microns	D-3218
Fabric Width	15	Ft.	4.6	М	None



