
PL929 PLAYGROUND

















DESCRIPTION PROPERTY Primary/Stalk Yarn Polymer Polyethylene Secondary/Thatch Yarn Polymer Polypropylene Polyethylene Monofilament Classic Spine/ Yarn Cross Section Texturized Polypropylene **Standard Colors** Field with Forest/Olive Thatch **Additional Colors** Red; White; Blue; Yellow; Black SilverBackTM Polyurethane Coating Type(s) Perforations Yes 1 1/8" Pile Height **Total Fabric Weight** 87 oz/yd^2 Fabric Width 15 ft. Yarn Shape



APPLICATION

This is a signature Playground product with a thatch system which provides added body, reducing the amount of infill needed. The four color blend of this surface provides a truly authentic look and feel that resembles a natural lawn. This product can also be used for landscapes, pet areas, fringes, and much more. This product can be installed indoors or outdoors on concrete or a compacted aggregate base.







Quad



TESTING

PL929 PLAYGROUND

FINISHED FABRIC	ENGLISH SYSTEM		METRIC SYSTEM		ASTM TEST F-1551
Nominal Specification	Value	Units	Value	Units	Method
Pile Height (Nominal)	1.125	ln.	28.6	mm.	D-5823
Face Weight	60	oz/yd²	2034	g/m²	D-5848
Total Fabric Weight	87	oz/yd²	2949	g/m²	D-5848
Primary backing Weight	7.4	oz/yd²	251	g/m²	D-5848
Secondary Coating Weight	20	oz/yd²	678	g/m²	D-5848
Tuft Bind	>8	lbs.	>3.6	Kg.	D-1335
Grab Tear Strength (Average)	>200	lbs.	>91	Kg.	D-5034
Lead Content	<50	ppm	<50	ppm	F-2765
Total Yarn Linear Density	13,600	Denier	15,110	D-Tex	D-1577
Tensile Strength	8.0	lbs.	3.63	Kg.	D-5034
Stitch Rate	13.5	Per 3"	17.72	Per 10 cm	D-5793
Machine Gauge	0.375	ln.	0.95	Cm.	D-5793
Flammability	TEST	PASSED	TEST	PASSED	D-2859
Water Permeability w/infill	>30	In./Hr.	>76	Cm./Hr.	F-1551
Fiber Thickness	9.4	mils	100	microns	D-3218
Fabric Width	15	Ft.	4.6	М	None

