PL941

APPLICATION

This is an excellent landscape product that offers thatch, which provides added body, reducing the amount of infill needed. The four color blend of this surface provides a truly authentic look and feel that resembles a natural lawn. This product can be used for landscapes, pet areas, fringes, and much more. This product can be installed indoors or outdoors on concrete or a compacted aggregate base.

PROPERTY	DESCRIPTION
Primary/Stalk Yarn Polymer	Polyethylene
Secondary/Thatch Yarn Polymer	Polypropylene
Yarn Cross Section	Polyethylene Monofilament/ Texturized Polypropylene
Standard Colors	Field/Olive with Olive/Tan Thatch
Coating Type(s)	SilverBack™ Polyurethane
Perforations	Yes
Pile Height	1 ½"
Total Fabric Weight	79 oz.
Fabric Width	15 ft.
Yarn Shape	Omega 3DN

***Custom colors available upon request**

200 Howell Dr. Dalton GA 30721 www.cpturf.com 800.564.4492

CONTROLLED PRODUCTS

CONTROLLED PRODUCTS

TESTING

PL941

FINISHED FABRIC	ENGLISH SYSTEM		METRIC SYSTEM		ASTM TEST F-1551
Nominal Specification	***Value***	***Units***	***Value***	***Units***	***Method***
Pile Height (Nominal)	1.5	In.	38.10	mm.	D-5823
Face Weight	52	oz/yd^2	1763	g/m^2	D-5828
Total Fabric Weight	79	oz/yd^2	2,678.8	g/m^2	D-5828
Primary Backing Weight	7.4	oz/yd^2	251	g/m^2	D-5828
Secondary Coating Weight	20	oz/yd^2	678	g/m^2	D-5828
Tuft Bind	>8	lbs.	>3.6	Kg.	D-1335
Grab Tear Strength (Average)	>200	lbs.	>91	Kg.	D-2256
Lead Content	<50	ppm	<50	ppm	D-2766
Total Yarn Linear Density	15,400	Denier	17,109	D-Tex	D-1577
Stitch Rate	9	Per 3"	11.79	Per 10 cm	D-5793
Machine Gauge	3/8"	In.	.96	Cm.	D-5793
Flammability	TEST	PASSED	TEST	PASSED	D-2859
Water Permeability w/infill	>30	In./Hr.	>76	Cm./Hr.	F-1551
Fabric Width	15	Ft.	4.6	M	None



CURB



EQUIPMENT

It is the policy of Controlled Products to continuously improve it line of products. Therefore, Controlled Products reserves the right to change, modify or discontinue systems, specifications and accessories of all products at any time without notice or obligation to purchaser.